## CLAIMS

What is claimed is:

- 1. A method of assigning Walsh codes comprising
  5 the steps of:
  - (a) receiving as input a status vector for a Walsh code system of length  $2^n$ ;
  - (b) creating a new status vector for a selected Walsh code length of  $j=2^{\rm n-k}$  from the status vector;
- 10 (c) creating a search mask for the selected Walsh
   code length of j;
  - (d) creating a search sequence for the selected Walsh code length of j; and
- (e) searching the search sequence with the search 15 mask to find the next available Walsh code.
  - 2. The method of claim 1 wherein step (b) comprises the steps of:
- (b1) copying the status vector to a new status vector 20 for the desired Walsh code length j;
  - (b2) initializing a loop index k to zero;
  - (b3) incrementing the loop index k by one;
- (b4) replacing the new status vector with the new status vector OR'd with the new status vector shifted 25 right by  $2^{n-k}$  bits; and
  - (b5) repeating steps (b3) and (b4) until  $2^{n-k}$  equals the desired Walsh code length j.
- 3. The method of claim 1 wherein step (e) 30 comprises the steps of:
  - (e1) shifting the search mask left by a number of bits corresponding to a next search sequence entry M to generate a shifted search mask;

- (e2) performing an AND operation between the shifted search mask and the new status vector; and
- (e3) generating as output a Walsh code M of length j if the result of step (e2) equals zero.

- 4. The method of claim 3 further comprising the steps of:
- (e5) returning to step (e1) if the search sequence
  entry M is not last in the search sequence and if the
  10 result of step (e2) equals the search mask; and
  - (e6) generating as output a null Walsh code indicating that no Walsh code is available at the selected length j if M is last in the search sequence.
- 5. The method of claim 4 further comprising the steps of:
  - (e7) creating a new search mask for a Walsh code of the selected length j if the result of step (e2) does not equal the search mask;
- 20 (e8) shifting the new search mask left by a number of bits corresponding to the search sequence entry M to generate a shifted search vector;
  - (e9) performing an AND operation between the shifted search vector and the new status vector; and
- (e10) generating as output a Walsh code M of length j if the result of step (e9) equals zero.
- 6. The method of claim 5 further comprising the step of (ell) generating as output a Walsh code  $M + 2^{n-k}$  of length j if the result of step (e9) does not equal zero.
  - 7. A method of tracking an assignment status of each Walsh code in a Walsh code system comprising the steps of:

- (a) receiving as input a status vector, an assignment indicator, a Walsh code parameter M, and a Walsh code length parameter j wherein M and j are positive integers;
  - (b) retrieving a bit mask [M,j]; and
- 5 (c) updating the status vector as a function of the Walsh code parameter M, the assignment indicator, and the bit mask [M,j].
- 8. The method of Claim 7 wherein step (c) 10 comprises the following steps:
  - (c1) checking whether the assignment indicator indicates an assignment or a release of Walsh code  $\it M$  of length  $\it j$ ;
- (c2) performing an OR operation between the status
  15 vector and the bit mask [M,j] if the assignment indicator indicates an assignment; and
  - (c3) replacing the status vector with a result of the OR operation between the status vector and the bit mask [M,j] to set covered Walsh codes in the status vector.

- 9. The method of Claim 7 wherein step (c) comprises the following steps:
- (c1) performing a negation operation on the bit mask [M,j] if the assignment indicator indicates a release;
- (c2) performing an AND operation between the status vector and the result of the negation operation; and
- (c3) replacing the status vector with a result of the AND operation between the status vector and the result of the negation operation to clear uncovered Walsh codes in 30 the status vector.
  - 10. A computer program product comprising: a medium for embodying a computer program for input to a computer; and

- a computer program embodied in the medium for causing the computer to perform the following functions:
- (a) receiving as input a status vector for a Walsh code system of length  $2^n$ ;
- 5 (b) creating a new status vector for a selected Walsh code length of  $j=2^{n-k}$  from the status vector;
  - (c) creating a search mask for the selected Walsh code length of  $j\,;$
- (d) creating a search sequence for the selected 10 Walsh code length of  $j\,;$  and
  - (e) searching the search sequence with the search mask to find an available Walsh code.
- 11. The computer program product of claim 10 15 wherein step (b) comprises the steps of:
  - (b1) copying the status vector to a new status vector for the desired Walsh code length j;
    - (b2) initializing a loop index k to zero;
    - (b3) incrementing the loop index k by one;
- 20 (b4) replacing the new status vector with the new status vector OR'd with the new status vector shifted right by  $2^{n-k}$  bits; and
  - (b5) repeating steps (b3) and (b4) until  $2^{n-k}$  equals the desired Walsh code length j.

- 12. The computer program product of claim 10 wherein step (e) comprises the steps of:
- (e1) shifting the search mask left by a number of bits corresponding to a next search sequence entry M to 30 generate a shifted search mask;
  - (e2) performing an AND operation between the shifted search mask and the new status vector; and

- (e3) generating as output a Walsh code M of length j if the result of step (e2) equals zero.
- 13. The computer program product of claim 12 5 further comprising the steps of:
  - (e5) returning to step (e1) if the search sequence entry M is not last in the search sequence and if the result of step (e2) equals the search mask; and
- (e6) generating as output a null Walsh code

  10 indicating that no Walsh code is available at the selected length j if the search sequence entry M is last in the search sequence.
- 14. The computer program product of claim 13 further comprising the steps of:
  - (e7) creating a new search mask for a Walsh code of the selected length j if the result of step (e2) does not equal the search mask;
- (e8) shifting the new search mask left by a number of 20 bits corresponding to the search sequence entry M to generate a shifted search vector;
  - (e9) performing an AND operation between the shifted search vector and the new status vector; and
- (e10) generating as output a Walsh code M of length j 25 if the result of step (e9) equals zero.
- 15. The computer program product of claim 14 further comprising the step of (e11) generating as output a Walsh code  $M + 2^{n-k}$  of length j if the result of step 30 (e9) does not equal zero.
  - 16. A computer program product comprising:
     a medium for embodying a computer program for input
    to a computer; and

- a computer program embodied in the medium for causing the computer to perform the following functions:
  - (a) receiving as input a status vector, an assignment indicator, a Walsh code parameter M, and a Walsh code length parameter j wherein M and j are positive integers;
    - (b) retrieving a bit mask [M, j]; and
- (c) updating the status vector as a function of the Walsh code parameter M, the assignment indicator, and 10 the bit mask [M,j].
  - 17. The computer program product of Claim 16 wherein step (c) comprises the following steps:
- (c1) checking whether the assignment indicator 15 indicates an assignment or a release of Walsh code M of length j;
  - (c2) performing an OR operation between the status vector and the bit mask [M,j] if the assignment indicator indicates an assignment; and
- (c3) replacing the status vector with a result of the OR operation between the status vector and the bit mask [M,j] to set covered Walsh codes in the status vector.
- 18. The computer program product of Claim 16 25 wherein step (c) comprises the following steps:
  - (c1) performing a negation operation on the bit mask [M,j] if the assignment indicator indicates a release;
  - (c2) performing an AND operation between the status vector and the result of the negation operation; and
- 30 (c3) replacing the status vector with a result of the AND operation between the status vector and the result of the negation operation to clear uncovered Walsh codes in the status vector.